## **Certification Boulevard**



## Test Your Knowledge of Residuals Management

- 1. What happens to the pH in an aerobic digester if carbon dioxide is trapped in the sludge?
  - a. The pH decreases
  - b. The pH increases
  - c. Carbon dioxide does not affect pH
  - d. Alkalinity is increased
- 2. Given the following data, what is the Specific Oxygen Utilization Rate (SOUR) in an aerobic digester?
  - · OUR test starting D.O. is 7.2 mg/l
  - · OUR test ending D.O. is 4.0 mg/l
  - · OUR test time is 10 minutes
  - $\cdot$  Digested sludge total solids concentration is 1.75%
  - a. 2.1 mg/hr/gm TS
  - b. 1.1 mg/hr/gm TS
  - c. 1.6 mg/hr/gm TS
  - d. 10.9 mg/hr/gm TS
- 3. Based on Question No.2, does this aerobic digester meet EPA's vector attraction reduction regulation for Class B residuals?
  - a. Yes
  - b. No
  - c. Not enough data to answer this question
- 4. Given the following data, what is the percent volatile solids reduction in an anaerobic digester using the Van Kleeck formula?
  - · Feed Sludge Total Solids = 3.4%
  - Feed Sludge Volatile Solids = 2.7%
  - · Digested Sludge Out Total Solids = 2.4%
  - · Digested Sludge Out Volatile Solids = 1.7%
  - a. 40.1%
  - b. 37.0%
  - c. 34.5%
  - d. 47.1%

- 5. Given the following data, what is the volatile solids loading rate in an anaerobic digester?
  - · Digester tank diameter is 75 feet
  - · Digester side water depth is 24 feet to overflow
  - · Volume in cone is 35,000 gallons
  - · Digester sludge feed rate is 125 gpm for 8 hrs/day
  - · Sludge feed total solids concentration is 3.2%
  - · Sludge feed volatile content is 81%
  - a. 0.12 lbs per day VS per ft<sup>3</sup>
  - b. 0.34 lbs per day VS per ft<sup>3</sup>
  - c. 0.15 lbs per day VS per ft<sup>3</sup>
  - d. 1.5 lbs per day VS per ft<sup>3</sup>
- 6. What are the requirements for lime stabilization to accomplish Class B stabilization standards?
  - a. Raise the sludge pH to no greater than 11.0
  - b. Raise the sludge pH to at least 12 for the first 2 hours, and then maintain at least 12.5 for the next 24 hours
  - c. Raise the sludge pH to 10.0 to 10.5 for 30 minutes
  - d. Raise the sludge pH to at least 12 for the first 2 hours, and then maintain at least 11.5 for the next 22 hours
- 7. Given the following data, what is the annual budget for lime in a lime stabilization process?
  - · Lime dose rate is 5.5% per wet ton of sludge
  - · Sludge wet weight is 28,690 lbs/day
  - · Lime cost is \$120.00 per ton delivered
  - · Sludge is processed 7 days per week
  - a. \$36,145
  - b. \$14,345
  - c. \$34.557
  - d. \$28,274
- 8. Which is the EPA rule that provides rules and regulation for the disposal of wastewater residuals?
  - a. 305 rule
  - b. 640 rule
  - c. 736 rule
  - d. 503 rule
- 9. What is the fecal coliform limit to meet standards for Class A biosolids?
  - a. 1,000 #/gram TS
  - b. 10,000 #/gram TS
  - c. 1,000,000 #/gram TS
  - d. 2,000,000 #/gram TS

- 10. What is one of the alternate methods for vector attraction reduction for an anaerobic digestion process if the volatile solids reduction does not meet the required number?
  - a. Chlorine residual
  - b. SOUR
  - c. Extended 40-day bench test
  - d. Ammonia-nitrogen
  - e. None of the above